2010 Drinking Water Consumer Confidence Report

Town Of Needham • Needham Water and Sewer Division PWS #3199000.

Richard Merson Director of Public Works



Vincent Roy Water and Sewer Superintendent

Dear Resident,

The Town of Needham Department of Public Works is pleased to present the 2010 water quality report to our customers. In accordance with the Safe Drinking Water Act, all water utilities are required to issue an Annual Consumer Confidence Report to promote customer awareness of the quality of their drinking water. To ensure we maintain high standards, the Town takes many steps to provide you with high quality tap water including water quality monitoring and water treatment and distribution system upgrades.

While maintaining water quality is critical, protecting our water supply by conservation is equally important as we look towards the future. This brochure is a snapshot of the water quality from January through December 2010. Included are details about where your water comes from, what it contains, and how it compares to EPA standards.

If you have any questions, please contact Vincent Roy at (781) 455-7534

Dept. of Public Works 470 Dedham Ave Needham, MA



Information on your source water

Where does my water come from?

Needham draws potable water from two separate sources. The primary source is the Charles River Wellfield, which has been the major source of water since the 1930's. Water is drawn from the Wellfield and treated at the adjacent Charles River Water Treatment Facility. The Town's secondary source is the Massachusetts Water Resources Authority (MWRA). The MWRA supply is conveyed through a 36" diameter pipe from the MWRA's Metro West Tunnel in Weston to a booster station on Central Avenue at St. Mary Street. This connection was constructed in the mid-1950's. The combined capacity of the Water Treatment Facility and MWRA is 10 million gallons of potable water per day. In addition, Needham has emergency connections to provide and receive water from the towns of Wellesley and Dedham.



Understanding our water treatment process

In order to maintain compliance with Federal and State drinking water standards, Needham well water must be treated before it reaches consumers' taps. The Charles River Water Treatment Facility utilizes processes including the removal of manganese by oxidation and filtration. Adding potassium permanganate precipitates (oxidizes) the manganese prior to removal by greensand filtration. Sodium hydroxide is used to raise the natural pH and alkalinity of water to reduce the corrosion of lead and copper from household plumbing systems. Chlorine, a highly efficient disinfectant, is added to kill disease-causing bacteria that water or transport pipes might contain. Chlorine levels are continuously monitored and controlled to ensure that disinfection levels are maintained at the facility and throughout the distribution system. Ortho-polyphosphate, a food based additive, is then added to minimize calcium precipitating in hot water systems. Finally, fluoride is added to prevent tooth decay. In our system, the fluoride level is adjusted to an optimal level averaging one part per million (ppm) to improve oral health in children. This level has been determined to be safe, odorless, colorless and tasteless. Our water system has been providing this treatment since 1972. All components of the water distribution and treatment systems are closely monitored by State certified operators through computerized Supervisory Control and Data Acquisition (SCADA) systems.

Source Water Protection

To ensure the highest quality of drinking water for residents, the Town has adopted by-laws and health regulations designed to preserve and protect existing and potential sources of drinking water. The Department of Environmental Protection (DEP) approved the Town's water source protection strategy based on land use and operational restrictions in areas of influence to the Town's drinking water wells. The information collected was incorporated into the Source Water Assessment Protection (SWAP) report. The report is a planning tool to support local and state efforts to improve water supply protection. The assessment helps focus protection efforts on appropriate best management practices and drinking water source protection measures. Residents can help protect sources by taking hazardous household chemicals to hazardous waste collection days and by limiting the use of pesticides and fertilizers. The complete SWAP report is available on line at www.mass.gov/dep/water/drinking/swappreps.htm.

We are pleased to report that during the past year, water delivered to your home complied with or exceeded all State and Federal drinking water regulations. In 2010, we collected and analyzed more than 500 water samples for over 100 potential contaminants. Needham tested for bacteria, volatile organics, synthetic organics, total trihalomethanes, haloaceticacids, nitrates, nitrites, perchlorate, lead, and copper. For your information, we have listed in the table below only the contaminants that were detected in Needham's water. Although the substances listed are signicantly below the Maximum Contaminant Level (MCL) set by the EPA, we feel it is important for you to know what was detected and the amount present in the water.

Tested After Treatment								
Substance Units		(MCL) Needham Detected Level		Range of MCLG		Major Sources		
Chlorine	ppm	4 MRDL	0.68 avg	0.600.75	4 MRDLG	Water additive for disinfection		
Fluoride	ppm	4 MRDL	0.95 avg	0.851.10	4	Water additive which promotes strong teeth		
Manganese	ppm	0.05	0.01 avg	0.0050.015	0	Naturally found mineral in the ea		
Nitrate	ppm	10	0.68	0.68	10	Run off from fertilizer use and leaching from septic tanks		
Perchlorate	ppb	2	0.09	0.09	N/A	Rocket propellants, fireworks, flares, blasting agents		
						5 48 6		

In the Distribution System								
Disinfection By-products	Frequency Collected	(MCL)	Highest results or RAA*	Range of Detections	MCLG	Major Sources		
Total	0 1	00 1	24.0	12.0.20	0	D 1 (C (11 ' (
Trihalomethanes	Quarterly	80 ppb	24.9	13.839	0	Byproducts of water chlorination		
Haloacetic Acids	Quarterly	60 ppb	2.7	ND5.2	0	Byproducts of water chlorination		

^{*}RAA= Highest running annual average of four consecutive quarters.

Microbiological Contaminant	(MCL)	Highest # of Positive Samples	Major Sources
Total Coliform	No more than 5% of samples positive in a given month.	2 (no violations) *	Naturally present in the environment

^{*}Positive total coliform result due to improper handling of sampling bottles, follow up testing confirmed negative coliform at positive test site.

Lead & Copper- "At the Tap" Sampling							
Inorganic Contaminants	Date Collected	90th Percentile	Action Level	MCLG	# of sites sampled	# of sites above Action level	Major Source
Lead * (ppb)	2009	2	15	0	30	0	Corrosion of household
Copper* (ppm)	2009	0.03	1.3	0	30	0	plumbing
*The next round of san	npling is in 2012						

Definitions & Acronyms

ppm = parts per million **ppb** = parts per billion (1 ppm = 1000 ppb) **ND** = Not detected

Safe Drinking Water Act (SDWA) - The Federal Law that governs the regulation of public water suppliers.

Maximum Contaminant Level (MCL) - The highest allowable level of a contaminant in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG)-The level of a contaminant in drinking water below which there is not known, or expected, risk to health.

Maximum Residual Disinfection Level (MRDL) – The highest level of a drinking water disinfectant allowed in drinking water.

Maximum Residual Disinfection Level Goal (MRDLG) – The level of drinking water disinfectant below which there is no expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Action Level - The concentration of a contaminant that, if exceeded triggers treatment or other requirements, that a water system must follow.

Environmental Protection Agency (EPA) - The federal agency responsible for the development of SDWA regulations.

Department of Environmental Protection (DEP)- The Massachusetts State regulatory agency responsible for the implementation of the SDWA.

Drinking Water & Public Health

The Safe Drinking Water Act (SDWA) is the main federal law that ensures the quality of Americans' drinking water. Under SDWA, EPA sets standards for drinking water quality and oversees the states, localities, and other water suppliers who implement those standards. SDWA authorizes the EPA to set national health-based standards for drinking water to protect against both naturally-occurring and man-made contaminants. The EPA, MassDEP, and Needham DPW then work together to make sure that these standards are met. The Food and Drug Administration (FDA) and the Massachusetts Department of Public Health have established regulations that limit contaminants in bottled water which must provide the same protection for public health. Contaminants that may be present in source water include:



Microbiological contaminants: such as viruses and bacteria that may come from sewage septic systems, agricultural livestock and wildlife.

Pesticides and herbicides: that may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

Inorganic contaminants: such as salts and metals that can be naturally-occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.

Organic contaminants: synthetic and volatile organic chemicals that are by-products of industrial processes and petroleum production, also urban stormwater runoff, and septic systems.

Radioactive contaminants: can be naturally occurring or result from oil and gas production, and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791)

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care providers.

Your drinking water is routinely tested for these substances in accordance with federal and state drinking water regulations. These substances have not been detected or are significantly below the MCL allowed.

What do I need to know about lead in tap water?



Under EPA regulations, Needham must test tap water in homes that are likely to have high lead levels. These are usually homes with lead service lines. The EPA requires that 90% of the sampled homes must have lead levels below the action level of 15 parts per billion (ppb). To further decrease your potential exposure, you should always use cold water for drinking and cooking.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Needham is

responsible for providing high quality water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap from 30 seconds to 2 minutes before using water for drinking and cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at: http://www.epa.gov/safewater/lead.

WHERE TO GO FOR MORE INFORMATION

Massachusetts Dept. of Environmental Protection • www.mass.gov/dep • 617-292-5500

Massachusetts Dept. of Public Health • www.mass.gov/dph • 617-624-6000

Massachusetts Water Resource Authority • www.mwra.com • 617-242-5323

Department of Conservation and Recreation • www.mass.gov/dcr/watersupply.htm • 617-626-1250

US Center for Disease Control and Prevention (CDC) • www.cdc.gov • 800-232-4636

U.S Environmental Protection Agency • www.epa.gov • 800-311-3435

State Certified Water Quality Testing Labs • www.mwra.com/04water/html/testinglabs.html

What can I do to reduce exposure to lead from drinking water?'

Never use hot water from the faucet for drinking or cooking, especially when making baby formula or other food for infants.

Ask the Needham DPW if there are lead service pipes leading to your home.

Check your plumbing fixtures to see if they are lead-free. Be mindful of places you may find lead in or near your home. Paint, soil, dust, and some pottery may contain lead.

What is a cross connection & what can I do about it?

What is a cross connection?

A cross connection is a connection between a contaminated source (non-potable water and other substances) and your drinking water system. This has the potential of becoming a hazardous situation if the contaminant source were to enter (backflow) into the potable water. Backflow occurs when the water flow is reversed due to a change in pressure, and water flows backwards, into and through the system. Contamination can also occur when the pressure in the drinking water system drops due to occurrences such as water main breaks and heavy water demand, causing contaminants to be drawn (back-siphonage) into the potable water system.

Where do I find cross connections?

Garden hoses connected to an outside water tap are the most common sources of cross connections in the home. The garden hose creates a hazard when submerged in non-potable water such as a swimming pool or when attached to a chemical sprayer for weed control. Other common sources of cross connections in homes include connections of lawn sprinkler systems, solar heating systems, and fire sprinkler systems.

The Water & Sewer Division is required to survey all industrial, commercial, and municipal facilities to ensure that all cross connections are eliminated or protected by a backflow prevention device. The Division is also responsible for inspecting and testing each device to ensure that it is providing maximum protection.

What can I do to protect and conserve water?

Fresh water is a scarce resource only 1% of the water on the planet is suitable for drinking. A recent government survey showed at least 36 states are anticipating local, regional, or statewide water shortages by 2013. You can help by conserving water. Needham's daily demand for water usage during the summer months can more than double over the wintertime demand. Most of this additional demand is due to outdoor watering. By using water more efficiently, you can help preserve water supplies for future generations, save money, and protect the environment. By changing a few habits, you will help protect your water supply and perhaps save on water and sewer charges. Here are some outdoor water saving tips that you can implement in your home.

Water your lawn only as needed. Frequent watering can actually weaken a lawn by encouraging shallow roots. The general rule of thumb is one inch per week including rain.

Timing is critical for lawn watering. Water your lawn in the early morning or late evening to avoid evaporation.

Mulch to keep roots cool and moist. Mulch serves as a ground cover that reduces water evaporation from the soil

Keep your blades sharp and high. Raising your lawn mower blade prevents tearing of grass. Longer grass provides shade for the roots and helps reduce water loss.

Use shut-off nozzles on hoses and automatic shut-off devices on irrigation systems. Unattended hoses can use 10 gallons or more per minute.

Install a rain sensor that turns automatic spinkler systems off when it is raining.



Improvements to the Water System

Each part of the water system needs routine maintenance in order to maintain a safe and dependable water supply. Listed are some of the projects undertaken by the Water & Sewer Division in 2010.

- Conducted leak detection survey of the entire water system. Conducting this survey proves beneficial to the Town by identifying areas to reduce water leakage in the Town's water lines.
- Replaced 18 older fire hydrants to ensure adequate water supply for fire protection.
- Upgraded 1,154 water meters throughout the system.
- Completed well # 2 re-development to maintain water quality and ensure water supply.
- Replaced 3,540 feet of 16 inch water main on Charles River Street.
- Replaced 1,988 feet of 16 inch water main on Pine Street.
- Replaced 1,430 feet of 8 inch water main on Pickering Street.
- Replaced 218 feet of 4 inch water main on Pickering Place.
- Replaced 1,000 feet of 8 inch water main on Garden Street.

Future Projects for 2011

- Well #1 replacement project
- Water services replacement
- Water main replacement
 - Continuing meter replacement program

Needham Department of Public Works 470 Dedham Avenue Needham, MA 02492-1364

Presorted Standard U.S. Postage Paid Boston, MA 58224

Needham Resident



2010 Water Quality Report

Drinking water test results and other important information from the Town of Needham